Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		display and cmos and transisotr\$1 and aND POWER AND DRAIN AND SOURCE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 13:48
		display and four adj set\$6 adj transistor\$1 and	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:15
		(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and (low\$6 and color\$6 adj scale\$6) and generat\$6 and analog adj signal\$6 and (polarity\$6 adj invert\$6 and response and generat\$6 and digital adj signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:57
S1	405607	(LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:21
<b>S2</b>	39888	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:52
S3	2	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and low adj color adj scale	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:03
<b>S4</b>	2	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and low\$6 adj color\$6 adj scale\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:53
S5	79	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and (low\$6 and color\$6 adj scale\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:54
S6	11	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and (low\$6 and color\$6 adj scale\$6) and generat\$6 and analog adj signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:03

<b>S7</b>	1	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and (low\$6 and color\$6 adj scale\$6) and generat\$6 and analog adj signal\$6 and (polarity\$6 adj invert\$6 and response and generat\$6 and digital adj signal\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 13:57
<b>S8</b>	27	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and (low\$6 and color\$6 and scale\$6) and generat\$6 and analog adj signal\$6 and (polarity\$6 adj invert\$6 and response and generat\$6 and digital adj signal\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:47
S9	405607	(LCD or liquid adj crystal adj display) low adj color adj scal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:29
S10	2	(LCD or liquid adj crystal adj display) and low\$6 adj color\$6 adj scal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:30
S11	4	display and low\$6 adj color\$6 adj scal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:35
<b>S12</b>	1474	display and low\$6 and color\$6 adj scal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:33
S13	691	display and (low\$6 and upper) and color\$6 adj scal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:33
S14	701	display and (low\$6 and upper\$6) and color\$6 adj scal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:33
S15	372	display and (low\$6 and upper\$6) and color\$6 adj scal\$6 and generat\$6 and weight\$6 and value	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:48

					·	· · · · · ·
S16	1	display and image and correction and produce and revised and image and plurality and pixels and color adj scale and values and calculating and frequency and value and color adj scale and threshold and limiting and summation and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:39
S17	13	display\$6 and image\$6 and correct\$6 and produce\$6 and revis\$6 and image\$6 and plurality and pixel\$1 and color adj scale and values and calculat\$6 and frequency and value and color\$6 adj scale\$6 and threshold and limit\$6 and sum\$6 and frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:12
S18	0	display and (low\$6 and upper\$6) and (color\$6 adj scal\$6 and driv\$6 and circuit\$6) and generat\$6 and weight\$6 and value and analog adj signal\$6 and invert\$6 and polarity\$6 and geneart\$6 and (digital and signal\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:51
<b>S19</b>	5	display and (low\$6 and upper\$6) and (color\$6 adj scal\$6 and driv\$6 and circuit\$6) and generat\$6 and weight\$6 and value and analog adj signal\$6 and invert\$6 and polarity\$6 and generat\$6 and (digital and signal\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 14:52
S20	4	display and low\$6 adj color\$6 adj scal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:10
S21	2	low\$6 adj color\$6 adj scal\$6 adj driv\$6 adj circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:11
S22	18	display\$6 and image\$6 and pixel\$1 and lower and color\$6 adj scale\$6 and (geneart\$6 and digital and signal and after polarit\$6 and invert\$6 and generat\$6 and analog and signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:15
S23	2	(LCD or liquid adj crystal adj display) and color adj scale adj driv\$6 adj circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:22

4/13/06 12:03:33 PM

	-,		<del></del>	<u> </u>	1	T
S24	71	(LCD or liquid adj crystal adj display) and color adj scale and driv\$6 adj circuit\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:22
<b>S25</b>	79	(LCD or liquid adj crystal adj display) and (color\$6 adj scale\$6 and driv\$6 adj circuit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	-ON	2006/04/11 15:23
S26	9	(LCD or liquid adj crystal adj display) and (color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:23
<b>S27</b>	9	(LCD or liquid adj crystal adj display) and (color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:23
S28	0	(LCD or liquid adj crystal adj display) and (color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6 and invert\$6 adj polarity\$6 and generat\$6 and analog adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:24
<b>S29</b>	0	(LCD or liquid adj crystal adj display) and (color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6 and invert\$6 adj polarit\$6 and generat\$6 and analog adj signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 15:25
S30	3	(LCD or liquid adj crystal adj display) and (color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6 and invert\$6 and polarit\$6 and generat\$6 and analog adj signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 16:13
S31	7	(LCD or liquid adj crystal adj display) and (color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and (generat\$6 and digital and signal\$6) and (invert\$6 and polarit\$6 and generat\$6 and analog and signal\$6).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/11 16:14
S32	2	(LCD or liquid adj crystal adj display) and low adj color adj scale	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:54

		<b>1</b> /101 00010	ii iiistoi y			
S33	2	display and low adj color adj scale	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:55
S34	9	(LCD or liquid adj crystal adj display) and (low and color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:13
S35	4	display and low\$6 adj color\$6 adj scale\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:16
S36	2	display and low\$6 adj color\$6 adj scale\$6 and (low and color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:12
S37	2	display and low\$6 adj color\$6 adj scale\$6 and (driv\$6 adj circuit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:13
S38	3	display and low\$6 adj color\$6 adj scale\$6 and (driv\$6 and circuit\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:13
S39	2	display and low\$6 adj color\$6 adj scale\$6 and digital adj signal	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:14
S40	2	display and low\$6 adj color\$6 adj scale\$6 and digit\$6 and signal\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:15
S41	3	display and low\$6 adj color\$6 adj scale\$6 and digit\$6 and analog\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:16
S42	3	display and low\$6 adj color\$6 adj scale\$6 and analog\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 09:16

040	1 -	WE 200 0278	LIC DCC: 17	00	ON	2006/04/12 10 00
S43	2	"5,300,927".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:03
S44	. 2	-"5,798,752".pn.	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2006/04/12 10:04
			DERWENT; IBM_TDB			
S45	2	"6,674,425".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:04
S46	2	- "5,194,852".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:05
S47	2	"20030080940"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:07
S48	15	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and (low\$6 and color\$6 and scale\$6) and generat\$6 and analog adj signal\$6 and (polarity\$6 adj invert\$6 and response and generat\$6 and digital adj signal\$6) and buffer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:47
S49	3	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and (low\$6 and color\$6 and scale\$6) and generat\$6 and analog adj signal\$6 and (polarity\$6 adj invert\$6 and response and generat\$6 and digital adj signal\$6) and (buffer\$6 and receiv\$6 and polarity\$6 adj invert\$6 and generat\$6 and couple\$6 and generat\$6 and digital adj signal\$6) and (transistor\$6 and couple\$6 and output\$6 and analog adj signal\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:50

	-		<u> </u>	1		
S50	3	(LCD or liquid adj crystal adj display) and driv\$6 adj circuit\$6 and (low\$6 and color\$6 and scale\$6) and generat\$6 and analog adj signal\$6 and (polarity\$6 adj invert\$6 and response and generat\$6 and digital adj signal\$6) and (buffer\$6 and receiv\$6 and polarity\$6 adj invert\$6 and generat\$6 and digital adj signal\$6) and (transistor\$6 and couple\$6 and output\$6 and generat\$6 and generat\$6 and analog adj signal\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:51
S51	641	display and set adj transistor\$1	US-PGPUB;	OR	ON	2006/04/12 10:55
	- * · · · · · · · · · · · · · · · · · ·		USPAT; EPO; JPO; DERWENT; IBM_TDB	(2) (2) (2) (3) (4) (4) (4) (4) (4) (4) (4) (4) (4) (4		
CE2	405607		· · · · · · · · · · · · · · · · · · ·	00	ON	2006/04/12 10-55
S52	405607	(LCD or liquid adj crystal adj display)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:55
S53	83	display and set adj transistor\$1 and	US-PGPUB;	OR	ON	2006/04/12 13:59
		PMOS and NMOS	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S54	18	display and set adj transistor\$1 and PMOS and NMOS and (gate adj PMOS and gate adj NMOS and couple\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 10:57
S55	16	display and set adj transistor\$1 and	US-PGPUB;	OR	ON	2006/04/12 11:14
		PMOS and NMOS and (gate adj PMOS and gate adj NMOS and couple\$6 and output\$6 and buffer\$6)	USPAT; EPO; JPO; DERWENT; IBM_TDB			
S56	1	display and set adj transistor\$1 and PMOS and NMOS and (gate adj PMOS and gate adj NMOS and couple\$6 and output\$6 and buffer\$6) and (source adj PMOS and couple\$6 and drain adj NMOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:09
S57	7	display and four adj set\$6 adj transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 13:47

S58	1007	345/690.ccls.	US-PGPUB;	OR	ON	2006/04/12 11:49
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S59	2	345/690.ccls. and (low\$6 and color\$6 adj scale\$6)	US-PGPUB; USPAT; EPO; JPO;	OR_	ON	2006/04/12 11:51
			DERWENT; IBM_TDB			
S60	3	345/690.ccls. and (color\$6 adj scale\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 11:51
S61	0	"200402227713"	US-PGPUB; USPAT;	OR	ON	2006/04/12 12:10
			EPO; JPO; DERWENT; IBM_TDB			
S62	2	"20040227713"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:11
S63	1616	345/98.ccls	US-PGPUB; USPAT;	OR	ON	2006/04/12 12:11
			EPO; JPO; DERWENT; IBM_TDB			
S64	69	345/98.ccls. and analog adj digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:20
S65	6	345/98.ccls. and analog adj convert\$6 adj digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:42
S66	134	345/98.ccls. and (analog adj convert\$6 adj digital or A/D)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:43
S67	128	345/98.ccls. and A/D	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:43

	<del></del>		1	T		
S68	0	345/98.ccls. and A/D and color adj scale	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 12:43
S69	0	345/98.ccls. and A/D and color\$6 adj scale\$6	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2006/04/12 12:44
			DERWENT; IBM_TDB			
S70	3	display and cmos and transisotr\$1 and POWER AND DRAIN AND SOURCE	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 13:49
S71	3	display and cmos and transisotr\$1 and POWER AND DRAIN AND	US-PGPUB; USPAT;	OR	ON	2006/04/12 13:52
		SOURCE AND BUFFER	EPO; JPO; DERWENT; IBM TDB			
S72	3	display and cmos AND DRIVE\$6 and transisotr\$1 and POWER AND DRAIN AND SOURCE AND BUFFER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 13:53
S73	22540	display and cmos AND DRIVE\$6 and transisotr\$1 and POWER	US-PGPUB; USPAT;	OR	ON	2006/04/12 13:53
	9 - F 	PUSH\$6 AND PULL\$6 AND BUFFER	EPO; JPO; DERWENT; IBM_TDB			
S74	1	display and cmos AND DRIVE\$6 and transisotr\$1 and POWER AND PUSH\$6 AND PULL\$6 AND BUFFER	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 13:54
S75	77	display and set adj transistor\$1 and (PMOS and NMOS)AND CONNECT\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 13:59
S76	26	display and set adj transistor\$1 and (PMOS and NMOS)AND CONNECT\$6 and output\$6 adj buffer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 13:59
S77	26	display and set adj transistor\$1 and (PMOS and NMOS) AND CONNECT\$6 and output\$6 adj buffer\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:01

				<u></u>		
S78	128	345/98.ccls. and A/D	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:00
S79	51775	display and set adj transistor\$1 and output\$6 adj buffer\$6 AND CONNECT\$6 amd (PMOS and NMOS)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:44
S80	27901	display and output\$6 adj buffer\$6 AND CONNECT\$6 amd (PMOS and NMOS) adj set adj transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:45
S81	51327	display and output\$6 adj buffer\$6 AND CONNECT\$6 amd (PMOS and NMOS) adj transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:46
S82	38055	display and control\$6 and polarity adj invert\$6 and output\$6 adj buffer\$6 AND CONNECT\$6 amd (PMOS and NMOS) adj transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:47
, S83	6	display and control\$6 and polarity adj invert\$6 and output\$6 adj buffer\$6 AND CONNECT\$6 and (PMOS and NMOS) adj transistor\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 14:47
S84	5	(LCD or liquid adj crystal adj display) and (low and color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6 and invert\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:21
S85	5	(LCD or liquid adj crystal adj display) and (low and color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6 and invert\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:22
S86	2	"20020140711"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:22
S87	1	"20020140711" and digital	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:28

S88	1	"20020140711" and ANALOG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 15:59
<b>S89</b>	8,	(LCD or liquid adj crystal adj display) and (color\$6 adj scale\$6 and driv\$6 adj circuit\$6) and generat\$6 and digital adj signal\$6 and analog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/12 16:24
S90	2	"6,005,536".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 08:01
S91	2	"5,784,181".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 08:02
S92	2	"6,707,516".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/04/13 08:02